



NMC Global Corporation

650 Grove Road, Suite 111, P.O. BOX 309, Thorofare, NJ 08086 Tel: 856-686-4904 Fax: 856-686-4907 e-mail: nmcglobal@natmar.com

Re:

Sampling and lab analysis on # 6 Fuel Oil from the Shore Tank # 15 after discharge of the Barge

B-105 at Sprague Rennselear, NY on May 9, 2005.

File No:

40541

Sample No: 40541-15

CERTIFICATE OF ANALYSIS SHORE TANK # 15

TEST	METHOD	UNITS	RESULT
API Gravity	D-287	° API @ 60 °F	11.4
Viscosity	D-2161	SFS @122 °F	345.6
•	D-4455	cSt @ 50 ° C	163.1
Sulfur	D-4294	Weight %	1.31
Pour Point	D-97	°F	27
Flash Point	D-93	° F	186
Water by Dist	D-95	Volume %	0.60
Sed by Ext	D-473	Weight %	0.07
Ash	D-482	Weight %	0.084
Nitrogen	D-5762	Weight %	0.40
Micro Carbon Res.	D-4530	Weight %	9.6
Vanadium	D-5863	PPM	100
Sodium	D-5863	PPM	24
Heating Value	D-240	BTU /Gal	151,585
Micro Carbon Res. Vanadium Sodium	D-4530 D-5863 D-5863	Weight % PPM PPM	9.6 100 24

SPRAGUE PROVIDES THE ATTACHED INSPECTION REPORT/ANALYSIS

REPRESENTING THE SPECIFICATIONS OF THE PRODUCT AT THE SPRAGUE
TERMINAL IN TANK ON THE DATE OF INSPECTION NOTED ON THE CERTIFICATE.

Nabil M. Kassem

THIS ANALYSIS IS PROVIDED TO THE CUSTOMER FOR THE PURPOSE OF NMC Global Corporation Representative establishing the independently verified product specification on a composite basis in sprague's terminal shore tank as noted on the certificate. The inspection report is not to be used for any other purpose. Sprague disclaims any liability for the product after delivery by sprague to customer. Sprague disclaims any warranty of merchantability or fitness for an intended use except as may be specifically set forth in writing in any contract or terms of sale between sprague and a buyer of product. Sprague assumes no liability for claims or losses that may arise from customers use of this inspection report/analysis.